

Soft Auto Installer

Table of Contents

- 1 About Soft Auto Installer
- 2 Tie-Ins*
- 3 Supported Modules
- 4 Installing Soft Auto Installer
- 5 Usage
- 6 Available Apps



Blesta 4.5+

Soft Auto Installer is included with Blesta version 4.5+, but a copy that may work on versions as low as 4.4.0 is available at <https://github.com/blesta/plugin-softaculous>

About Soft Auto Installer

Soft Auto Installer can automatically deploy applications on new hosting accounts provisioned through hosting control panels running [Softaculous](#). It does so by tying into the Event system in Blesta to make an API call to Softaculous after an account is provisioned.

Tie-Ins*

Widgets	Nav Links	Automation Tasks	Email Templates	ACL Permissions	Search	Events
NONE	NONE	NONE	NONE	NONE	NONE	YES

* Plugins are powerful and are not limited to the tie-ins listed above, these are just some of the most common


Supported Modules

The following modules are supported by the Soft Auto Installer for Softaculous:


Module	Supported Version
cPanel	4.5
Plesk	4.8
CentOS Web Panel	4.8

Installing Soft Auto Installer

To install the Auto Cancel plugin, visit [Settings] > [Company] > [Plugins] > Available, and click the "Install" button for Soft Auto Installer.



A message will be displayed, indicating that the plugin was successfully installed.



Usage

To use the Soft Auto Installer plugin you should already have a supported module installed and configured. You need to create some configurable options under [Packages] > [Configurable Options] as described:

Label (Suggested, can be anything)	Name	Type	Value	Description
Script	script	Drop-Down, Radio	e.g. "WordPress", "Drupal", etc, see full list of apps below	<ul style="list-style-type: none"> Check "Client can Add" only.
Admin Name	admin_name	Text	Client provides during checkout, e.g. "admin".	<ul style="list-style-type: none"> Check "Client can Add" only.
Admin Pass	admin_pass	Text, Password	Client provides during checkout, e.g. "mypassword".	<ul style="list-style-type: none"> Check "Client can Add" only.

Directory

directory Text



Client provides during checkout, e.g. "/directory/".

- **Optional config option, not required.**
- Check "Client can Add" only.
- This will be the install directory, defaults to docroot if not provided.

Update Package Option

Basic

Label

Script ?

Name

script ?

Type

Drop-down ?

Client can Add

Client can Edit

Options

Add Additional Option

Name ?	Value ?	Options
WordPress	WordPress	Delete

Pricing

Term ?	Period	Currency	Price	Setup Fee	Options
1	Month	USD	0.00	0.00	Add, Delete

Drupal

Delete

Group Membership

Member Groups

App Hosting

Available Groups

Update Package Option

Update Package Option

Basic

Label

Admin Name ?

Name

admin_name ?

Type

Text ?

Client can Add

Client can Edit

Options

Name ?	Options
	Delete

Pricing

Term ?	Period	Currency	Price	Setup Fee	Options
1	Month	USD	0.00	0.00	Add, Delete

Group Membership

Member Groups

App Hosting

Available Groups

Update Package Option

Update Package Option

Basic

Label
Admin Pass ?

Name
admin_pass ?

Type
Text ?

Client can Add
 Client can Edit

Options

Name ?	Options
	Delete

Pricing

Term ?	Period	Currency	Price	Setup Fee	Options
1	Month	USD	0.00	0.00	Add , Delete

Group Membership

Member Groups
App Hosting

Available Groups

[Update Package Option](#)

Update Package Option

Basic

Label
Directory ?

Name
directory ?

Type
Text ?

Client can Add
 Client can Edit

Options

Name ?	Options
	Delete

Pricing

Term ?	Period	Currency	Price	Setup Fee	Options
1	Month	USD	0.00	0.00	Add , Delete

Group Membership

Member Groups
App Hosting

Available Groups

[Update Package Option](#)

Then update or create your cPanel packages, and select the Config Option Group that the above options belong to on the Package as shown here:

Update Package

Basic

Package Name

Application Hosting

Status

Active

Quantity Available

Unlimited

Description

Configurable Options

Member Groups

App Hosting

Available Groups

Module

cPanel

Available Apps

Here's a list of **script** names that can be included with your Drop-Down, or Radio option for the Script. (Last generated 12/26/18)

Script Name	Value for Script field for auto install
WordPress	WordPress
Joomla 2.5	Joomla 2.5
AbanteCart	AbanteCart
PrestaShop	PrestaShop
Joomla	Joomla
OpenCart 1.5	OpenCart 1.5
Drupal 7	Drupal 7
phpBB	phpBB
SMF	SMF
Open Real Estate	Open Real Estate
Magento 1.9	Magento 1.9
WHMCS	WHMCS
MyBB	MyBB
pH7CMS	pH7CMS
Dolphin	Dolphin
Moodle 2.8	Moodle 2.8
YetiForce	YetiForce
e107	e107
Geeklog	Geeklog
Xoops	Xoops
PHP-Fusion	PHP-Fusion
CubeCart	CubeCart
Concrete5	Concrete5
Oxwall	Oxwall
ClipBucket	ClipBucket
OpenCart	OpenCart

Laravel	Laravel
Yclas	Yclas
Gallery	Gallery
Pubvana	Pubvana
qdPM	qdPM
Piwigo	Piwigo
osCommerce	osCommerce
MODX	MODX
ownCloud	ownCloud
OSClass	OSClass
MediaWiki 1.27	MediaWiki 1.27
Roundcube	Roundcube
CodeIgniter	CodeIgniter
Jcow	Jcow
Vtiger	Vtiger
CMS Made Simple	CMS Made Simple
Elgg	Elgg
Open eShop	Open eShop
AEF	AEF
Vision Helpdesk	Vision Helpdesk
Chamilo	Chamilo
yii	yii
Coppermine	Coppermine
Zen Cart	Zen Cart
Seo Panel	Seo Panel
osTicket	osTicket
Loaded Commerce	Loaded Commerce
Dolibarr	Dolibarr
Open Source Social Network	Open Source Social Network
phpList	phpList
SIDU	SIDU
phpMyAdmin	phpMyAdmin
Zikula	Zikula
Drupal	Drupal
WebMail Lite	WebMail Lite
Composr	Composr
kPlaylist	kPlaylist
TheHostingTool	TheHostingTool
LimeSurvey	LimeSurvey
Feng Office	Feng Office
Mibew Messenger	Mibew Messenger

HESK	HESK
poMMo	poMMo
Vanilla	Vanilla
Bootstrap	Bootstrap
Serendipity	Serendipity
Revive Adserver	Revive Adserver
jQuery	jQuery
BoxBilling	BoxBilling
Dotclear	Dotclear
Website Baker	Website Baker
Zenphoto	Zenphoto
DokuWiki	DokuWiki
b2evolution	b2evolution
PHP-Nuke	PHP-Nuke
Drupal 6	Drupal 6
TomatoCart	TomatoCart
SugarCRM	SugarCRM
WebCalendar	WebCalendar
Matomo	Matomo
eyeOS	eyeOS
VidiScript	VidiScript
SquirrelMail	SquirrelMail
ProjectSend	ProjectSend
Podcast Generator	Podcast Generator
Moodle	Moodle
BlackNova Traders	BlackNova Traders
Mambo	Mambo
Subrion	Subrion
Textpattern	Textpattern
TinyWebGallery	TinyWebGallery
thirty bees	thirty bees
Etano	Etano
Beatz	Beatz
sNews	sNews
StatusNet	StatusNet
EPESI	EPESI
phpFreeChat	phpFreeChat
jCore	jCore
PunBB	PunBB
Magento	Magento
Live helper chat	Live helper chat

LiteCart	LiteCart
PyroCMS	PyroCMS
TYPO3 45	TYPO3 45
WeBid	WeBid
GRAV	GRAV
CakePHP	CakePHP
Help Center Live	Help Center Live
Shadows Rising	Shadows Rising
Contao	Contao
Collabtive	Collabtive
SilverStripe	SilverStripe
X2CRM	X2CRM
Claroline	Claroline
Pydio	Pydio
Silex	Silex
SLiMS	SLiMS
XMB	XMB
TYPO3 6	TYPO3 6
Tiki Wiki CMS Groupware	Tiki Wiki CMS Groupware
Zurmo	Zurmo
YOURLS	YOURLS
PHPfileNavigator	PHPfileNavigator
Zend	Zend
Nextcloud	Nextcloud
SuiteCRM	SuiteCRM
Question2Answer	Question2Answer
Gregarius	Gregarius
FrontAccounting	FrontAccounting
Nibbleblog	Nibbleblog
dotProject	dotProject
Mautic	Mautic
Open Journal Systems	Open Journal Systems
Bolt	Bolt
RainLoop Webmail	RainLoop Webmail
Fork	Fork
PeoplePods	PeoplePods
Advanced Guestbook	Advanced Guestbook
phpOnline	phpOnline
FluxBB	FluxBB
eFront	eFront
Symfony	Symfony

Multiplayer Checkers	Multiplayer Checkers
Form Tools	Form Tools
Webinsta Maillist	Webinsta Maillist
ProcessWire	ProcessWire
X-Cart	X-Cart
Avactis	Avactis
Kirby	Kirby
HumHub	HumHub
SPIP	SPIP
TYPO3 7	TYPO3 7
phpFormGenerator	phpFormGenerator
phpLD	phpLD
Quick.Cart	Quick.Cart
Phorum	Phorum
Booked	Booked
OrangeHRM	OrangeHRM
Koken	Koken
Pluck	Pluck
ImpressPages	ImpressPages
bbPress	bbPress
Symfony2	Symfony2
OpenNewsletter	OpenNewsletter
Sitemagic CMS	Sitemagic CMS
iQDesk	iQDesk
ShopSite	ShopSite
SimpleInvoices	SimpleInvoices
Open Source Point of Sale	Open Source Point of Sale
ccMail	ccMail
LifeType	LifeType
Lazarus	Lazarus
Pixie	Pixie
phpAlbum	phpAlbum
ProjectPier	ProjectPier
Mantis Bug Tracker	Mantis Bug Tracker
Nucleus	Nucleus
MyWebSQL	MyWebSQL
Soholaunch	Soholaunch
Quick.CMS	Quick.CMS
eXtplorer	eXtplorer
CumulusClips	CumulusClips
Chyrp	Chyrp

Redaxscript	Redaxscript
Moodle 2.0	Moodle 2.0
Privacy Policy Generator	Privacy Policy Generator
PASTE	PASTE
webERP	webERP
Rukovoditel	Rukovoditel
Moodle 2.6	Moodle 2.6
GPixPixel	GPixPixel
LittlePoll	LittlePoll
ImpressCMS	ImpressCMS
BellaBook	BellaBook
Open Business Card	Open Business Card
Sales Syntax	Sales Syntax
PopojiCMS	PopojiCMS
Monstra	Monstra
GLPI	GLPI
AmpJuke	AmpJuke
phpESP	phpESP
Invoice Ninja	Invoice Ninja
Mahara	Mahara
Akaunting	Akaunting
PmWiki	PmWiki
eggBlog	eggBlog
phpwcms	phpwcms
Word Search Puzzle	Word Search Puzzle
4images	4images
jobberBase	jobberBase
PHP QR Code	PHP QR Code
AngularJS	AngularJS
PageCookery	PageCookery
ArticleSetup	ArticleSetup
Dokeos	Dokeos
phpBook	phpBook
phpicalendar	phpicalendar
The Bug Genie	The Bug Genie
ExtCalendar	ExtCalendar
ElkArte	ElkArte
Blesta	Blesta
EGroupware	EGroupware
Bludit	Bludit
Tiny Tiny RSS	Tiny Tiny RSS

Trellis Desk	Trellis Desk
Arfoo	Arfoo
DoceboLMS	DoceboLMS
Adminer	Adminer
Impleo	Impleo
Moodle 3.3	Moodle 3.3
Aardvark Topsites	Aardvark Topsites
Microweber	Microweber
webtrees	webtrees
PhpGedView	PhpGedView
InvoicePlane	InvoicePlane
EspoCRM	EspoCRM
Kohana	Kohana
LetoDMS	LetoDMS
FUDforum	FUDforum
Faveo Helpdesk	Faveo Helpdesk
Storytlr	Storytlr
PHPProjekt	PHPProjekt
Arastta	Arastta
Family Connections	Family Connections
WikkaWiki	WikkaWiki
Advanced Poll	Advanced Poll
Simple PHP Poll	Simple PHP Poll
Sentrifugo	Sentrifugo
TCEexam	TCEexam
AlegroCart	AlegroCart
Smarty	Smarty
HTMLy	HTMLy
Chevereto Free	Chevereto Free
SiteCake	SiteCake
wallabag	wallabag
Croogo	Croogo
TaskFreak	TaskFreak
Lychee	Lychee
Codiad	Codiad
UNA	UNA
ATutor	ATutor
Pixelpost	Pixelpost
HelpDeskZ	HelpDeskZ
Plogger	Plogger
Pimcore	Pimcore

Jamroom	Jamroom
InfiniteWP	InfiniteWP
EasyPoll	EasyPoll
Axis	Axis
phpMyFAQ	phpMyFAQ
Open Web Analytics	Open Web Analytics
MediaWiki	MediaWiki
OpenSupports	OpenSupports
Omeka	Omeka
Monsta FTP	Monsta FTP
PivotX	PivotX
Group Office 5	Group Office 5
Zeuscart	Zeuscart
VX Guestbook	VX Guestbook
Feed On Feeds	Feed On Feeds
Thelia 2	Thelia 2
Flyspray	Flyspray
OctoberCMS	OctoberCMS
OpenDocMan	OpenDocMan
SeoToaster	SeoToaster
todayu	todayu
Tine 2.0	Tine 2.0
Anchor	Anchor
iGalerie	iGalerie
phpCOIN	phpCOIN
miniBB	miniBB
PHPKode Guestbook	PHPKode Guestbook
LuxCal	LuxCal
SQLiteManager	SQLiteManager
selfoss	selfoss
Kanboard	Kanboard
liveSite	liveSite
Saurus	Saurus
PluXml	PluXml
PrestaShop 1.4	PrestaShop 1.4
Jorani	Jorani
Shopware	Shopware
Hablator	Hablator
Logaholic	Logaholic
FuelPHP	FuelPHP
script.aculo.us	script.aculo.us

AJAX Chat	AJAX Chat
WonderCMS	WonderCMS
Ampache	Ampache
Dojo	Dojo
UIKit	UIKit
RicarGBook	RicarGBook
Tiki Wiki CMS Groupware 12	Tiki Wiki CMS Groupware 12
SeedDMS	SeedDMS
PHPDevShell	PHPDevShell
ClientExec	ClientExec
Maian Support	Maian Support
FlatPress	FlatPress
Typesetter	Typesetter
LayerBB	LayerBB
CJ Dynamic Poll	CJ Dynamic Poll
Ext JS	Ext JS
Agora-Project	Agora-Project
HTML Purifier	HTML Purifier
Fiyo CMS	Fiyo CMS
razorCMS	razorCMS
phpCollab	phpCollab
Group Office 6.1	Group Office 6.1
BlaB! AX	BlaB! AX
u-Auctions	u-Auctions
Pagekit	Pagekit
Snipe-IT	Snipe-IT
Gibbon	Gibbon
Carbon Forum	Carbon Forum
Zenbership	Zenbership
SimplePie	SimplePie
Raphael	Raphael
Movable Type	Movable Type
Vue.js	Vue.js
my little forum	my little forum
Symfony3	Symfony3
MooTools	MooTools
OpenBiblio	OpenBiblio
Open Conference Systems	Open Conference Systems
Logic Invoice	Logic Invoice
DomainMOD	DomainMOD
CSZ CMS	CSZ CMS

osCmax	osCmax
DHTMLX	DHTMLX
Commentics	Commentics
Admidio	Admidio
XCloner	XCloner
Modernizr	Modernizr
SOPanning	SOPanning
TYPO3	TYPO3
Atlantis CMS	Atlantis CMS
SVNManager	SVNManager
ChurchCRM	ChurchCRM
Firefly III	Firefly III
Scripty2	Scripty2
Traq	Traq
GNU social	GNU social
OpenBiz Cubi	OpenBiz Cubi
Cotonti	Cotonti
Directus	Directus
Zenario	Zenario
Rico	Rico
phpDocumentor	phpDocumentor
phpLiteAdmin	phpLiteAdmin
Webasyst	Webasyst
ILIAS	ILIAS
Pliki CMS	Pliki CMS
PRADO	PRADO
Hotaru CMS	Hotaru CMS
Magento 1.7	Magento 1.7
Xerte Online Toolkits	Xerte Online Toolkits
ZenTao	ZenTao
Kopage	Kopage
Dada Mail	Dada Mail
Tiki Wiki CMS Groupware 15	Tiki Wiki CMS Groupware 15
WBCE CMS	WBCE CMS
FreshRSS	FreshRSS
Concrete5 5.7	Concrete5 5.7
Beehive	Beehive
Hubzilla	Hubzilla
HelpDEZk	HelpDEZk
php.JS	php.JS
Support Incident Tracker	Support Incident Tracker

Gallery 2	Gallery 2
Chive	Chive
Kimai	Kimai
Xibo	Xibo
Eventum	Eventum
Magento 1.8	Magento 1.8
ProjeQtOr	ProjeQtOr
RockMongo	RockMongo
TangoBB	TangoBB
PrestaShop 1.7	PrestaShop 1.7
EasyAppointments	EasyAppointments
EC-CUBE	EC-CUBE
SCHLIX CMS	SCHLIX CMS
UserSpice	UserSpice
Nuked Klan	Nuked Klan
Bugs	Bugs
openSIS	openSIS
Little Software Stats	Little Software Stats
Group Office	Group Office
WidelImage	WidelImage
Vty	Vty
Moodle 2.7	Moodle 2.7
Postfix Admin	Postfix Admin
Fusio	Fusio
Prototype	Prototype
DIY	DIY
Sizzle	Sizzle
jsMorph	jsMorph
Plandora	Plandora
Concrete5 5.6	Concrete5 5.6
net2ftp	net2ftp
WebCollab	WebCollab
SimpleRisk	SimpleRisk
Jenkins	Jenkins
XMS	XMS
PHP Address Book	PHP Address Book
Handesk	Handesk
PHPlot	PHPlot
CMSimple	CMSimple
Precurio	Precurio
PEEL SHOPPING	PEEL SHOPPING

Unclassified NewsBoard	Unclassified NewsBoard
TastyIgniter	TastyIgniter
TestLink	TestLink
Unmark	Unmark
YUI	YUI
jqPlot	jqPlot
jforum	jforum
LESS	LESS
appRain	appRain
ClipperCMS	ClipperCMS
GeniXCMS	GeniXCMS
Zdoo	Zdoo
Forma LMS	Forma LMS
Elgg 1	Elgg 1
Elycharts	Elycharts
MeshCMS	MeshCMS
Manage Your Team	Manage Your Team
MochiKit	MochiKit
Burden	Burden
Reader Self	Reader Self
JSZip	JSZip
SuperCali	SuperCali
LibreHealth EHR	LibreHealth EHR
PaintbrushJS	PaintbrushJS
Open Monograph Press	Open Monograph Press
Framadate	Framadate
DropzoneJs	DropzoneJs
Flot	Flot
IceHrm	IceHrm
Maian Cart	Maian Cart
HuMo-gen	HuMo-gen
MediaWiki 1.29	MediaWiki 1.29
Miniflux	Miniflux
Zsite	Zsite
Savsoft Quiz	Savsoft Quiz
OpenCart 2	OpenCart 2
Wolf CMS	Wolf CMS
eLabFTW	eLabFTW
Leafpub	Leafpub
Pebble	Pebble
LEPTON	LEPTON

Apache Roller	Apache Roller
Trac	Trac
Zikula 1.5	Zikula 1.5
WordPress 4.9	WordPress 4.9

```
<?php
$scripts_json = file_get_contents('https://s2.softaculous.com/a/softaculous/scripts.php?in=json');
$scripts = json_decode($scripts_json, true);
echo '<table style="border: 1px solid #eee; border-collapse: collapse;">
<tr>
    <td style="border: 1px solid #eee; padding:5px;"><b>Script Name</b></td>
    <td style="border: 1px solid #eee; padding:5px;"><b>Value for Script field for auto install</b></td>
</tr>';
foreach($scripts as $k => $v){
    echo '<tr>
        <td style="border: 1px solid #eee; padding:5px;">'. $v['name'] . '</td>
        <td style="border: 1px solid #eee; padding:5px;">'. $v['name'] . '</td>
    </tr>';
}
echo '</table>';
```