


Order System

Table of Contents

- 1 About Order System
- 2 Tie-Ins*
- 3 Installing Order System
 - 3.1
 - 3.2 Order System Overview
- 4 Creating an Order Form
 - 4.1 Basic
 - 4.2 Basic (Continued)
 - 4.3 Package Groups & Currencies
 - 4.4 Settings
 - 4.4.1 Basic Options
 - 4.4.2 Anti-Fraud
 - 4.4.3 Embed Code
 - 4.4.4 Marketing
- 5 Order Emails
 - 5.1 Order Received
 - 5.2 Order Received (Mobile)
- 6 Linking to Order Pages
 - 6.1 Linking to a Specific Order Form
 - 6.2 Linking to a Specific Product
 - 6.3 Linking to an Order Form to Include a Coupon
 - 6.4 Linking to an Order Form to Include the Currency
 - 6.5 Linking to an Order Form to Include a Specific Language
- 7 Activating the Affiliate System
 - 7.1 How can I manually adjust an affiliates funds?
- 8 Messengers
- 9 Common Issues

 The Order System is installed by default, but may need to be installed for add-on companies.

About Order System

The Order System is responsible for all order forms and order handling in Blesta. As of version 4.11, the Order System also includes an Affiliate System, which is tightly integrated with orders.


Tie-Ins*

Widgets	Nav Links	Client Cards	Automation Tasks	Email Templates	ACL Permissions	Search	Ev
YES	YES	YES	YES	YES	YES	YES	

* Plugins are powerful and are not limited to the tie-ins listed above, these are just some of the most common

Installing Order System

1. Visit [Settings] > [Company] > [Plugins] > Available.
2. Click the "Install" button within the Order System plugin listing.
3. To enable the Order System widget, go to [Billing] > Overview, click the "Manage Widgets" link, and drag the Orders widget from the right to the left.



Order System (ver 2.27.0)
Author: [Phillips Data, Inc.](#)
Allow users to place orders. Manage orders in the staff interface.

Install

Order System Overview

Once installed, a new link will appear under [Packages] > Order Forms, where order forms can be managed. In the screen below, two order forms have already been created and they can be managed at this location.

Order System						
Order Forms		Settings				
Name	Label	Template	Type	Date Added	Status	Options
Dedicated Servers	dedicated	Wizard Boxes	General	Mar 08, 2018 6:34:42 PM	Active	Edit Delete
Cloud Servers	vpstest	Wizard List	General	Mar 08, 2018 4:03:47 PM	Active	Edit Delete

Creating an Order Form

To create an order form, click the "Add Order Form" button in the upper right of the overview and fill out the options. Click "Add Form" to create the order form.

Basic

This section requests some basic information regarding the order form and its configuration including:

1. Status – This is the status of this order form, Active to enable the order form or Inactive to disable it.
2. Name – The name of this order form, this will appear in the heading on front facing pages for this order form.
3. Label – The label helps make up the URL to this order form, which is displayed next to the field, and must be unique.
4. Visibility – The visibility controls whether the order form appears on the order forms listing page and whether its packages may be ordered.
 - a. Public – The order form is always visible and orderable for everyone
 - b. Shared – The order form is not visible on the order form listing page, but may be orderable for everyone, such as via a direct link to the order form
 - c. Client Only – The order form is not visible on the order form listing page and may only be orderable by clients that are currently logged in
5. Type – This is the type of order form, currently the following three are available: Domain and Other, General, and Client Registration. In most cases, the General type is preferred. This selection will determine what options are displayed for the Template.
6. Template – Select an order form template. The template controls the look and flow of the order form. Wizard boxes is the default template, and is most widely used.

Order System - Add Form

Basic

Status

☒ Active
☐ Inactive

Name

Label

http://blesta.us/422/order/main/index/

Description

Visibility

Public

Type

General

Template

1. Drag to select a different package.

Quad Core i5-760

\$175.00 USD

8GB RAM

2x1TB SATA Storage

5TB Bandwidth

Selected

☐ AJAX Slider

Preview

2. Drag to select a different package.

Quad Core i5-760

\$175.00 USD

8GB RAM

2x1TB SATA Storage

5TB Bandwidth

Selected

☒ Wizard Boxes

Preview

3. Drag to select a different package.

cPanel Shared Hosting

Bronze Standard

☐ AJAX List

Preview

4. Drag to select a different package.

Step 1

Choose your plan

Shared Hosting

Silver Hosting

1GB Ram 10 Disk

10GB monthly transfer

10 Domains

☐ Standard

Preview

5. Drag to select a different package.

Quad Core i5-760

\$175.00 USD

8GB RAM

2x1TB SATA Storage

5TB Bandwidth

Selected

☐ Wizard Slider

Preview

6. Drag to select a different package.

cPanel Shared Hosting

Bronze Standard

Choose your billing cycle: 3

1 Month @ \$6.00 USD

☐ Wizard List

Preview

Basic (Continued)

This section contains some additional options within the Basic section.

1. Default Client Group – This is the client group users who sign up through this order form will be assigned.
2. Allow Coupons – Whether or not coupons should be allowed on this order form. If coupons are not allowed, the coupon section on the order form will not be displayed.
3. Require Manual Review and Approval of All Orders – If this is checked, all orders will need to be approved by a staff member before being provisioned, regardless of any anti-fraud settings.
4. Force Secure Connection (HTTPS) – If checked, the order form will force https:// URLs.
5. Require Human Verification Challenge for All Signups – If checked, reCaptcha human verification will be used, depending on the Setting under the Settings tab.
6. Require Agreement to Terms of Service – If checked, users will be required to agree to the terms of service before checking out.
7. Terms of Service URL – Enter the URL to your terms of service page. This isn't necessary if "Require Agreement to Terms of Services" isn't checked.

Default Client Group

General

?

☐ Allow Coupons

☐ Require Manual Review and Approval of All Orders

☐ Force Secure Connection (HTTPS)

☐ Require Human Verification Challenge for All Signups

☐ Require Agreement to Terms of Service

Terms of Service URL

Package Groups & Currencies

These sections determine what Package Groups (And hence Packages) are available through this order form as well as what currencies are accepted.

1. Assigned Groups & Available Groups – Move Package Groups from the right box (Available Groups) to the left box (Assigned Groups) to make them available on this order form. As of v4.3.0 Package Groups are displayed on the order form in the order shown here under 'Assigned Groups'.
2. Currencies – Select which currencies to accept on this order form. If only one currency is selected, the currency selector will not appear on the order form.

Package Groups

Assigned Groups

Cloud VPS

Available Groups

Test Group

Test Group 2

U Group

Gateways

☐ Bitpay
☐ PayPal Payments Standard


Add Form

Settings

The Order System supports various settings for human verification, fraud detection, embed codes, marketing emails, and allows the default order form to be selected. The default order form appears at `~/order/` and is linked to from the Portal page. Settings consist of several sections.

Basic Options

1. Default Order Form – Select which order form should be the default order form. It will be available at `~/order/` and linked to directly from the portal page. Alternatively, select "None - Show Listing" which will instead show a listing of all order forms at `~/order/`.
2. Human Verification – Select from None or reCaptcha. None disables human verification, [reCaptcha v2](#) is an option to prevent bots from signing up. Each require an account and additional unique settings which can be obtained from them. reCaptcha requires a Site Key and Shared Key.




The screenshot shows the 'Order System' settings interface. At the top, there are tabs for 'Order Forms' and 'Settings'. The 'Basic Options' section is active. It contains the following fields: 'Default Order Form' with a dropdown menu showing 'None - Show Listing'; 'Human Verification' with a dropdown menu showing 'reCaptcha'; 'reCaptcha Site Key' with an empty text input field; and 'reCaptcha Shared Key' with an empty text input field.

Anti-Fraud

Type – The type of anti-fraud to use. The current options are None, Maxmind, and FraudLabsPro. None disables anti-fraud checks, Maxmind enables them through Maxmind, and FraudLabsPro enables them through FraudLabsPro. An account with [Maxmind](#) is required to use Maxmind anti-fraud. An account with [FraudLabsPro](#) is required to use FraudLabsPro anti-fraud. The following options assume that Maxmind has been selected.

The following settings assume Maxmind was selected:

1. Type: Maxmind
2. Anti-Fraud Frequency – When to run anti-fraud checks. It is recommended to select the option to "Run fraud checks for all orders and customer signups".
3. Server – The server URL for Maxmind, this is typically: `minfraud.maxmind.com`
4. License Key – The license key obtained from Maxmind.
5. Minimum Score to Reject – The minimum score to reject an order. This should typically be set high, 80 is the default value. If Maxmind reports a value equal to or greater than this, the order will be outright rejected.
6. Minimum Score to Review – This should be lower than the minimum score to reject, default is 10. If the score of an order is equal to or greater than this but lower than the minimum score to reject, the order will be flagged for review. When an order is flagged for review it will remain as a **Pending** order until moved to either the **Accepted** or **Fraud** category by a staff user, at which time the client account will be automatically marked as active or fraud.



The screenshot shows the 'Anti-Fraud' settings interface. It contains the following fields: 'Type' with a dropdown menu showing 'Maxmind'; 'Anti-Fraud Frequency' with two radio buttons, 'Run fraud checks for customers signups only' (unselected) and 'Run fraud checks for all orders and customer signups' (selected); 'Server' with a text input field containing 'minfraud.maxmind.com'; 'License Key' with an empty text input field; 'Minimum Score to Reject' with a text input field containing '80'; 'Minimum Score to Review' with a text input field containing '10'; 'Free Email' with three radio buttons, 'Allow' (selected), 'Review' (unselected), and 'Reject' (unselected); 'Country Mismatch' with three radio buttons, 'Allow' (selected), 'Review' (unselected), and 'Reject' (unselected); 'Risky Country' with three radio buttons, 'Allow' (selected), 'Review' (unselected), and 'Reject' (unselected); 'Anonymous Proxy' with three radio buttons, 'Allow' (selected), 'Review' (unselected), and 'Reject' (unselected); and a 'Save Settings' button at the bottom right.

The following settings assume FraudLabsPro was selected:

1. Type: FraudLabsPro
2. Anti-Fraud Frequency – when to run anti-fraud checks. It's recommended to "Run fraud checks for all orders and customer signups".
3. API Key – The API key you obtained from FraudLabsPro
4. Minimum Score to Reject – The minimum score to reject an order. This should typically be set high, 80 is the default value. If FraudLabsPro reports a value equal to or greater than this, the order will be outright rejected.

5. Minimum Score to Review – This should be lower than the minimum score to reject, default is 10. If the score of an order is equal to or greater than this but lower than the minimum score to reject, the order will be flagged for review. When an order is flagged for review it will remain as a **Pending** order until moved to either the **Accepted** or **Fraud** category by a staff user, at which time the client account will be automatically marked as active or fraud.
6. Automatically Reject/Review based on recommendation from FraudLabs Pro – Yes is recommended, result will depend on what FraudLabs Pro suggests.

Embed Code

The embed code field allows any HTML or JavaScript to be directly injected, as written, into the footer of pages on the order form. Tag replacement is supported (see [Customizing Emails](#)), including a tag for the *order_page* so that you may set content only on specific pages.

The "order_page" tag contains the controller and action that references a specific page, which may include any one of the following:

{{order_page}} value	Notes
signup/index	The new account registration page
main/index	The package selection page
main/packages	A specific package selection page
forms/index	The order form listing page
config/index	A specific package configuration page
config/preconfig	A specific package pre-configuration page
checkout/index	The payment page
checkout/complete	The completed order page
cart/index	The cart page

For example, the following embed code will display a message at the bottom of the registration page. You can use the `{% debug %}` tag to display all data available to aid in determining which variables you want to use, but this tag should not be used in production. Note that the data available will change depending on what stage in the order process you are.

```
{% if order_page == "signup/index" %}
<h1>We are on the signup page</h1>
{% endif %}
```

Marketing

While the Order plugin does not send marketing emails, prospective clients may need to opt-in or opt-out of receiving marketing emails that you or the system may later send.

Order Emails

Order related email templates can be found under [Settings] > [Company] > [Emails] > Email Templates, in the section labeled "Plugin Templates".

Order Received

The order received email templates allow for the following tags:

Tags	Description	Notes
{order.id}	The system-level order ID	
{order.number}	The order number	e.g. "519131eb623b8"
{order.client_id}	The system-level client ID of the client this order belongs to	
{order.client_id_code}	The friendly client ID code	
{order.client_first_name}	The first name of the client	
{order.client_last_name}	The last name of the client	
{order.client_company}	The client's company name	
{order.client_address1}	The client's primary address	

{order.client_email}	The client's email address	
{invoice.id}	The system-level invoice ID of the invoice created for this order	
{invoice.id_code}	The friendly invoice ID code	
{invoice.date_due}	The UTC datetime stamp of the invoice due date	Formatted as "YYYY-MM-DD HH:MM:SS"
{invoice.date_billed}	The UTC datetime stamp of the invoice bill date	Formatted as "YYYY-MM-DD HH:MM:SS"
{invoice.total}	The total amount due on the invoice	e.g. "8.00"
{invoice.paid}	The total amount paid	e.g. "0.00"
{invoice.due}	The remaining amount due	e.g. "8.00"
{invoice.currency}	The currency that the invoice is in	e.g. "USD"

Due to the nature of tag objects containing several fields, many of which are likely irrelevant for use in email templates, but may be useful to you in certain circumstances, a dump of the tags are shown below.

The {order} object

```
stdClass Object
(
    [id] => 52
    [order_number] => 519131eb623b8
    [order_form_id] => 1
    [invoice_id] => 19983
    [fraud_report] =>
    [status] => pending
    [date_added] => 2013-05-13 18:33:15
    [fraud_status] =>
    [order_form_label] => my_order_form
    [order_form_name] => My Order Form
    [client_id] => 3
    [total] => 8.0000
    [paid] => 0.0000
    [currency] => USD
    [date_closed] =>
    [invoice_id_code] => PD-15695
    [client_id_code] => PD-1501
    [client_first_name] => Mark
    [client_last_name] => Stevens
    [client_company] => Comp Co.
    [client_address1] => 123 Test St.
    [client_email] => user@domain.com
    [services] => Array
    (
        [0] => stdClass Object
        (
            [order_id] => 52
            [service_id] => 234
        )
    )
)
```

The {invoice} object

```
stdClass Object
(
    [id] => 19983
    [id_format] => PD-{num}
    [id_value] => 15695
    [client_id] => 3
    [date_billed] => 2013-05-13 18:33:15
    [date_due] => 2013-05-13 18:33:15
    [date_closed] =>
    [date_autodebit] =>
```



```

[status] => active
[subtotal] => 8.0000
[total] => 8.0000
[paid] => 0.0000
[previous_due] => 2635.4700
[currency] => USD
[note_public] =>
[note_private] =>
[id_code] => PD-15695
[delivery_date_sent] =>
[due] => 8.0000
[line_items] => Array
(
    [0] => stdClass Object
        (
            [id] => 54940
            [invoice_id] => 19983
            [service_id] => 234
            [description] => Bronze Standard - domain.com
            [qty] => 1.0000
            [amount] => 8.0000
            [subtotal] => 8.00000000
            [taxes] => Array
                (
                )
            [taxes_applied] => Array
                (
                )
            [tax_subtotal] => 0
            [tax_total] => 0
            [total] => 8
            [total_w_tax] => 8
        )
)

[delivery] => Array
(
    [0] => stdClass Object
        (
            [id] => 20716
            [invoice_id] => 19983
            [method] => email
            [date_sent] =>
        )
)

[meta] => Array
(
)

[tax_subtotal] => 0
[tax_total] => 0
[taxes] => Array
(
)
)

```

The {services} array of objects

```

Array
(
    [0] => stdClass Object
        (
            [id] => 234
            [parent_service_id] =>
            [package_group_id] => 1
        )
)

```

```

[id_format] => PD-{num}
[id_value] => 229
[pricing_id] => 22
[client_id] => 3
[module_row_id] => 6
[coupon_id] =>
[qty] => 1
[status] => in_review
[date_added] => 2013-05-13 18:33:14
[date_renews] => 2013-06-13 18:33:14
[date_last_renewed] =>
[date_suspended] =>
[date_canceled] =>
[id_code] => PD-229
[fields] => Array
(
    [0] => stdClass Object
        (
            [key] => cpanel_confirm_password
            [value] => password
            [serialized] => 0
            [encrypted] => 1
        )

    [1] => stdClass Object
        (
            [key] => cpanel_domain
            [value] => domain.com
            [serialized] => 0
            [encrypted] => 0
        )

    [2] => stdClass Object
        (
            [key] => cpanel_password
            [value] => password
            [serialized] => 0
            [encrypted] => 1
        )

    [3] => stdClass Object
        (
            [key] => cpanel_username
            [value] => domainco
            [serialized] => 0
            [encrypted] => 0
        )

)

[package_pricing] => stdClass Object
(
    [id] => 22
    [package_id] => 13
    [term] => 1
    [period] => month
    [price] => 8.0000
    [setup_fee] => 0.0000
    [cancel_fee] => 0.0000
    [currency] => USD
)

[package] => stdClass Object
(
    [id] => 13
    [id_format] => {num}
    [id_value] => 1
    [module_id] => 4
    [name] => Bronze Standard
    [description] =>
    [description_html] => <p>

```

Good Value!</p>

```
[qty] =>
[module_row] => 6
[module_group] =>
[taxable] => 0
[status] => active
[company_id] => 1
)

[name] => domain.com

[coupon] => stdClass Object
(
    [id] => 2
    [code] => knW3Lesn
    [company_id] => 1
    [used_qty] => 16
    [max_qty] => 0
    [start_date] => 2017-02-02 08:00:00
    [end_date] => 2018-02-03 07:59:59
    [status] => active
    [recurring] => 0
    [limit_recurring] => 0
    [apply_package_options] => 1
    [internal_use_only] => 0
    [type] => exclusive
    [amounts] => Array
        (
            [0] => stdClass Object
                (
                    [coupon_id] => 2
                    [currency] => USD
                    [amount] => 5.0000
                    [type] => amount
                )
        )
    [packages] => Array
        (
            [0] => stdClass Object
                (
                    [coupon_id] => 2
                    [package_id] => 80
                )
        )
    )
)
)
```

Order Received (Mobile)

The ticket received email template allows for the following tags:

Tags	Description	Notes
{order.id}	The system-level order ID	
{order.number}	The order number	e.g. "519131eb623b8"
{order.client_id}	The system-level client ID of the client this order belongs to	
{order.client_id_code}	The friendly client ID code	
{order.client_first_name}	The first name of the client	
{order.client_last_name}	The last name of the client	
{order.client_company}	The client's company name	

{order.client_address1}	The client's primary address	
{order.client_email}	The client's email address	
{invoice.id}	The system-level invoice ID of the invoice created for this order	
{invoice.id_code}	The friendly invoice ID code	
{invoice.date_due}	The UTC datetime stamp of the invoice due date	Formatted as "YYYY-MM-DD HH:MM:SS"
{invoice.date_billed}	The UTC datetime stamp of the invoice bill date	Formatted as "YYYY-MM-DD HH:MM:SS"
{invoice.total}	The total amount due on the invoice	e.g. "8.00"
{invoice.paid}	The total amount paid	e.g. "0.00"
{invoice.due}	The remaining amount due	e.g. "8.00"
{invoice.currency}	The currency that the invoice is in	e.g. "USD"

Due to the nature of tag objects containing several fields, many of which are likely irrelevant for use in email templates, but may be useful to you in certain circumstances, a dump of the tags are shown below.

The {order} object

```
stdClass Object
(
    [id] => 52
    [order_number] => 519131eb623b8
    [order_form_id] => 1
    [invoice_id] => 19983
    [fraud_report] =>
    [status] => pending
    [date_added] => 2013-05-13 18:33:15
    [fraud_status] =>
    [order_form_label] => my_order_form
    [order_form_name] => My Order Form
    [client_id] => 3
    [total] => 8.0000
    [paid] => 0.0000
    [currency] => USD
    [date_closed] =>
    [invoice_id_code] => PD-15695
    [client_id_code] => PD-1501
    [client_first_name] => Mark
    [client_last_name] => Stevens
    [client_company] => Comp Co.
    [client_address1] => 123 Test St.
    [client_email] => user@domain.com
    [services] => Array
        (
            [0] => stdClass Object
                (
                    [order_id] => 52
                    [service_id] => 234
                )
        )
    )
)
```

The {invoice} object

```
stdClass Object
(
    [id] => 19983
    [id_format] => PD-{num}
    [id_value] => 15695
    [client_id] => 3
    [date_billed] => 2013-05-13 18:33:15
    [date_due] => 2013-05-13 18:33:15
)
```

```

[date_closed] =>
[date_autodebit] =>
[status] => active
[subtotal] => 8.0000
[total] => 8.0000
[paid] => 0.0000
[previous_due] => 2635.4700
[currency] => USD
[note_public] =>
[note_private] =>
[id_code] => PD-15695
[delivery_date_sent] =>
[due] => 8.0000
[line_items] => Array
(
    [0] => stdClass Object
        (
            [id] => 54940
            [invoice_id] => 19983
            [service_id] => 234
            [description] => Bronze Standard - domain.com
            [qty] => 1.0000
            [amount] => 8.0000
            [subtotal] => 8.000000000
            [taxes] => Array
                (
                )
            [taxes_applied] => Array
                (
                )
            [tax_subtotal] => 0
            [tax_total] => 0
            [total] => 8
            [total_w_tax] => 8
        )
    )
[delivery] => Array
(
    [0] => stdClass Object
        (
            [id] => 20716
            [invoice_id] => 19983
            [method] => email
            [date_sent] =>
        )
)
[meta] => Array
(
)
[tax_subtotal] => 0
[tax_total] => 0
[taxes] => Array
(
)
)

```

The {services} array of objects

```

Array
(
    [0] => stdClass Object
        (
            [id] => 234

```

```

[parent_service_id] =>
[package_group_id] => 1
[id_format] => PD-{num}
[id_value] => 229
[pricing_id] => 22
[client_id] => 3
[module_row_id] => 6
[coupon_id] =>
[qty] => 1
[status] => in_review
[date_added] => 2013-05-13 18:33:14
[date_renews] => 2013-06-13 18:33:14
[date_last_renewed] =>
[date_suspended] =>
[date_canceled] =>
[id_code] => PD-229
[fields] => Array
(
    [0] => stdClass Object
        (
            [key] => cpanel_confirm_password
            [value] => password
            [serialized] => 0
            [encrypted] => 1
        )

    [1] => stdClass Object
        (
            [key] => cpanel_domain
            [value] => domain.com
            [serialized] => 0
            [encrypted] => 0
        )

    [2] => stdClass Object
        (
            [key] => cpanel_password
            [value] => password
            [serialized] => 0
            [encrypted] => 1
        )

    [3] => stdClass Object
        (
            [key] => cpanel_username
            [value] => domainco
            [serialized] => 0
            [encrypted] => 0
        )

)

[package_pricing] => stdClass Object
(
    [id] => 22
    [package_id] => 13
    [term] => 1
    [period] => month
    [price] => 8.0000
    [setup_fee] => 0.0000
    [cancel_fee] => 0.0000
    [currency] => USD
)

[package] => stdClass Object
(
    [id] => 13
    [id_format] => {num}
    [id_value] => 1
    [module_id] => 4
    [name] => Bronze Standard

```

```
[description] =>
[description_html] => <p>
<span style="color:#008000;"><em>Good Value!</em></span></p>

[qty] =>
[module_row] => 6
[module_group] =>
[taxable] => 0
[status] => active
[company_id] => 1
)

[name] => domain.com

[coupon] => stdClass Object
(
    [id] => 2
    [code] => knW3Lesn
    [company_id] => 1
    [used_qty] => 16
    [max_qty] => 0
    [start_date] => 2017-02-02 08:00:00
    [end_date] => 2018-02-03 07:59:59
    [status] => active
    [recurring] => 0
    [limit_recurring] => 0
    [apply_package_options] => 1
    [internal_use_only] => 0
    [type] => exclusive
    [amounts] => Array
        (
            [0] => stdClass Object
                (
                    [coupon_id] => 2
                    [currency] => USD
                    [amount] => 5.0000
                    [type] => amount
                )
        )
    )
    [packages] => Array
        (
            [0] => stdClass Object
                (
                    [coupon_id] => 2
                    [package_id] => 80
                )
        )
    )
)
)
```

Linking to Order Pages

A link to each order page is displayed in the staff area, under [Packages] > [Order Forms]. It's also possible to link directly to a specific package, pricing option, or step.

Linking to a Specific Order Form

The default order form exists at **/order/**, relative to your installation path. Other order forms may be accessed through their unique label identifier. Below are a few examples:

Name	Label	URI	Default Order Form
Web Design	design	/order/ or	<div>YES</div>

		/order/main/index/ design	
VPS Servers	vps	/order/main/index/ vps	NO
Domain Registration	domains	/order/main/index/ domains	NO

Linking to a Specific Product

The following examples demonstrate how to link to a particular product or price point.



Description	Parameters	URI	
Display Package Group	<ul style="list-style-type: none"> group_id The ID of the package group to display. 	/order/main/packages/ label ?group_id=1	
Display Package Group with Package Selected	<ul style="list-style-type: none"> group_id The ID of the package group to display. package_id The ID of the package to select by default. <div> <i>i</i> Note that this is the ID of the package as seen in the URL when editing the package. </div>	/order/main/packages/ label ?group_id=1&package_id=2	
Display Package Configuration with Price Selected	<ul style="list-style-type: none"> group_id The ID of the package group to display. pricing_id The ID of the package pricing. <div> <i>i</i> The pricing_id is the ID of a particular price point as defined under the package. </div> <ul style="list-style-type: none"> configoptions A list of option IDs and their values (since plugin v2.21.0+) 	Order Template	URI
		AJAX Boxes	/order/main/packages/ label ?group_id=1&pricing_id=5
		AJAX Slider	<div> <i>i</i> Configurable Options may be set in version 2.21.0+ of the Order plugin </div> <p>Specific configurable options can be set by specifying each option in the URI using the option ID and the option value in the format "configoptions[OPTIONID]=VALUE", e. g.:</p> <pre>/order/config/index/label?group_id=1&pricing_id=5&configoptions[20]=yes&configoptions[7]=default%20option</pre> <p>Note: Be sure your option values are properly URL encoded!</p>
		AJAX List	
		Wizard Boxes	/order/config/index/ label ?group_id=1&pricing_id=5
		Wizard Slider	<div> <i>i</i> Configurable Options may be set in version 2.21.0+ of the Order plugin </div> <p>Specific configurable options can be set by specifying each option in the URI using the option ID and the option value in the format "configoptions[OPTIONID]=VALUE", e. g.:</p> <pre>/order/config/index/label?group_id=1&pricing_id=5&configoptions[20]=yes&configoptions[7]=default%20option</pre> <p>Note: Be sure your option values are properly URL encoded!</p>
		Wizard List	
		Standard	

Note! When using the "Domain and Other" order type, you should link to the domain search page and include your parameters. e.g. /order/config/preconfig/label/(parameters, like ?group_id=5&pricing_id=5)

Linking to an Order Form to Include a Coupon


As of version 2.4.0 of the Order plugin, a coupon can be set in the URL to an order form, and will be applied automatically as the user continues through the order process. The coupon may be set automatically when added to a URL at **/order/main/**, or **/order/config/** (in v2.6.0), using the parameter **coupon**. Consider a couple examples:

 When including a coupon code in a URL, the coupon code must be URL encoded.

Description	Parameters	URI		Notes																					
Set a Coupon to an Order Form	<ul style="list-style-type: none">coupon The coupon code to apply to the order	/order/main/index/label/?coupon=CPN123		In this example, the <ul style="list-style-type: none">Coupon code is CPN123Order form label is label																					
Set a Coupon to a Specific Product	<ul style="list-style-type: none">group_id The ID of the package group to displaypackage_id The ID of the package to select by default <div> Note that this is the ID of the package as seen in the URL when editing the package.</div> <ul style="list-style-type: none">coupon The coupon code to apply to the product	/order/main/index/vps/?group_id=1&package_id=5&coupon=10off		In this example, the <ul style="list-style-type: none">Coupon code is 10offOrder form label is vpsPackage Group ID is 1Package ID is 5																					
Set a Coupon to a Specific Product Configuration	<ul style="list-style-type: none">group_id The ID of the package group to display.pricing_id The ID of the package pricing. <div> The pricing_id is the ID of a particular price point as defined under the package.</div> <ul style="list-style-type: none">coupon The coupon code to apply to the orderconfigoptions A list of option IDs and their values (since plugin v2.21.0 +)	<table><tr><th>Order Template</th><th>URI</th></tr><tr><td>AJAX Boxes</td><td rowspan="3">/order/main/packages/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option</td></tr><tr><td>AJAX Slider</td></tr><tr><td>AJAX List</td></tr><tr><td colspan="2">Note: Be sure your option values are properly URL encoded!</td></tr><tr><td>Wizard Boxes</td><td rowspan="3">/order/config/index/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option</td></tr><tr><td>Wizard Slider</td></tr><tr><td>Wizard List</td></tr><tr><td colspan="2">Note: Be sure your option values are properly URL encoded!</td></tr><tr><td>Standard</td><td></td></tr></table>	Order Template	URI	AJAX Boxes	/order/main/packages/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option	AJAX Slider	AJAX List	Note: Be sure your option values are properly URL encoded!		Wizard Boxes	/order/config/index/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option	Wizard Slider	Wizard List	Note: Be sure your option values are properly URL encoded!		Standard		In this example, the <ul style="list-style-type: none">Coupon code is 10offOrder form label is labelPackage Group ID is 1Package Pricing ID is 15Package Configurable Options are: <table><tr><th>Option ID</th><th>Option Value</th></tr><tr><td>20</td><td>yes</td></tr><tr><td>7</td><td>default option</td></tr></table>	Option ID	Option Value	20	yes	7	default option
Order Template	URI																								
AJAX Boxes	/order/main/packages/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option																								
AJAX Slider																									
AJAX List																									
Note: Be sure your option values are properly URL encoded!																									
Wizard Boxes	/order/config/index/label/?group_id=1&pricing_id=15&coupon=10off&configoptions[20]=yes&configoptions[7]=default%20option																								
Wizard Slider																									
Wizard List																									
Note: Be sure your option values are properly URL encoded!																									
Standard																									
Option ID	Option Value																								
20	yes																								
7	default option																								

Linking to an Order Form to Include the Currency

If the order form supports more than 1 currency, the currency can be specified in the URL. Consider a couple examples:

Description	Parameters	URI	Notes
Set the currency for the order form.	<ul style="list-style-type: none">currency The currency to use for the order	/order/main/index/label/?currency=USD	In this example, the <ul style="list-style-type: none">Currency is USD
Set the currency to a Specific Product	<ul style="list-style-type: none">group_id The ID of the package group to displaypackage_id The ID of the package to select by default <div></div>	/order/main/index/vps/?group_id=1&package_id=5¤cy=USD	In this example, the <ul style="list-style-type: none">Currency is USD

	<p>Note that this is the ID of the package as seen in the URL when editing the package.</p> <ul style="list-style-type: none"> • currency The currency to use for the product 	<ul style="list-style-type: none"> • Order form label is vps • Package Group ID is 1 • Package ID is 5
--	---	--

Linking to an Order Form to Include a Specific Language

If Blesta is configured to support more than one language, the language can be specified in the URL. Consider a couple examples:

Description	Parameters	URI	Notes
Set the language for the order form.	<ul style="list-style-type: none"> • lang The language code to use for the order 	/order/main/index/label/? lang=fr_fr	In this example, the <ul style="list-style-type: none"> • Language is fr_fr

Activating the Affiliate System

As of Blesta 4.11, the Order Manager includes an Affiliate System. To activate the Affiliate System, visit Clients > Affiliates and click the "Enable Affiliate System" button to activate.

Affiliates

The affiliate system is currently disabled. Click the enable button to activate the affiliate system and allow affiliates to start signing up and making referrals.

Enable Affiliate System

Once the Affiliate System is active, you will be taken to the General Settings. It's important to set these details now. When a client signs up to become an affiliate, their settings will initially mirror these settings, but can be overridden on an individual basis as desired.

General Settings

Order Frequency ?

First

Order Recurring ?

Maturity Days ?

90

Cookie Duration (in Days) ?

180

Commission Type ?

Percentage

Commission Amount

0

Minimum Withdrawal Amount

10

Maximum Withdrawal Amount

100

Withdrawal Currency

USD

Signup Content ?

Source

B

I

U

S

x₂

x²

I_x

Styles

Format

Font

Size


A

A

We pay commissions for every order placed using your custom affiliate link by tracking visitors you refer to us using a cookie. The cookie will last up to 180 days following the initial visit, so you will get a commission for the referral even if they do not sign up immediately. If you have any questions, please contact us, or sign up by clicking the button below.

Cancel

Save Settings

Setting	Default Value	Description
Order Frequency	First	(First, Any) First to pay referrals only for the first order a client makes using a referral link, or Any to pay referrals for each order a client makes using a referral link.
Order Recurring	(checked)	<div>  Warning If this option is unchecked and later becomes checked, any referrals that were made previously will start to count as a recurring referral when subsequent invoices are generated. </div> <p>Whether referrals will be paid for services ordered that renew. Uncheck to apply to the initial purchase only.</p>
Maturity Days	90	The number of days after payment a referral matures and becomes available for payout.
Cookie Duration (in days)	180	The days that an affiliate cookie remains valid after a referral link is followed.
Commission Type	Percentage	(Fixed, Percentage) The calculation method used to determine referral commission. Either a fixed value per order or a percentage of the order total.
Minimum Withdrawal Amount	10	The minimum amount, in the Withdrawal Currency, that can be withdrawn at a time.
Maximum Withdrawal Amount	100	The maximum amount, in the Withdrawal Currency, that can be withdrawn at a time.
Withdrawal Currency	USD	The currency that commissions can be withdrawn in.
Signup Content		The content that an client will see when they visit the Affiliates page before signing up.

You can add payout payment methods under Clients > Affiliates > Settings > Payment Methods.

Affiliate Payment Methods	
<div>+</div>	
Name	Options
Account Credit	Edit Delete
PayPal	Edit Delete

When an affiliate makes a payout request, it can be viewed under Clients > Affiliates > Payouts. Staff can receive an email when an affiliate submits a payout request by subscribing to these notices within the Cog/Gear icon in the Orders widget, which can be found either under Billing > Overview, or the Dashboard.

Affiliate Payouts	
Approved (0) Pending (0) Declined (0)	
There are no payout requests at this time.	

A listing of all affiliates can be found under Clients > Affiliates > Affiliates.

Affiliates						
Active (1) Inactive (0) <div>+</div>						
Client	Code	Visits	Sales	Date Added	Date Updated	Options
John Smertan	MQ==	0	0	Jul 14, 2020 8:56:37 PM	Jul 14, 2020 8:56:37 PM	Deactivate

A list of packages to be excluded from payout calculations can be found under Clients > Affiliates > Settings > Excluded Packages. Check the box for a package to exclude it.

Excluded Packages

Available Packages

☐ A Second Nothing (Universal Module)

☐ CentovaCast Package (CentovaCast)

☐ Config Option None 3 (None)

☐ cWatch (CWatch)

☐ cWatch Single License Pre Trial (CWatch)

☐ CWP (CentOS WebPanel)

☐ Direct Admin Standard (DirectAdmin)

☐ English Package (None)

☐ Interworx (Interworx)

☐ ISPManager (ISPmanager)

☐ KH Reseller (cPanel)

☐ LogicBox (LogicBoxes)

☐ Mike's Logicbox (LogicBoxes)

☐ A Third Nothing (Universal Module)

☐ Config Option None (None)

☐ Config Option None 4 (None)

☐ cWatch Single License (CWatch)

☐ cWatch Single License Premium (CWatch)

☐ CyberPanel (CyberPanel)

☐ En PAck (None)

☐ Enom (Enom)

☐ Interworx Reseller (Interworx)

☐ ISPmanager Manual setup (Universal Module)

☐ KH Reseller Reseller (cPanel)

☐ LogicBoxes .co (LogicBoxes)

☐ Multicraft (Multicraft)

☐ BuycPanel (BuycPanel)

☐ Config Option None 2 (None)

☐ cPanel (cPanel)

☐ cWatch Single License Basic (CWatch)

☐ cWatch Single License Pro Trial (CWatch)

☐ Direct Admin (DirectAdmin)

☐ English None Package (None)

☐ GoGetSSL (GoGetSSL)

☐ ISPConfig Package (ISPConfig)

☐ KH cPanel (cPanel)

☐ License Package (License Module)

☐ LogicBoxes 2 .com.co (LogicBoxes)

☐ MVPS-2 (None)

Clients can sign up to be affiliates by clicking the "Affiliates" link in the client area. The client will see the "Signup Content" as defined above when they visit this page, and will be able to sign up as an affiliate.

Affiliate Overview

\$ Payouts

Referrals

Return to Dashboard

Affiliate Overview

Clicks

2

60/mo on average

Total Sales

0

0/mo on average

Conversion Rate

0%

0/2 on average

Details

Payout Level	10% of each matured referral
Minimum Payout Amount	\$10.00
Days to Mature	90
Available for Payout	\$0.00

Request Payout

Referral Link

http://blesta.us/4102/order/forms/a/MQ==

You may also link to a particular order form page as an affiliate by adding at the end ?a=MQ== to a link without query parameters or &a=MQ== to a link with query parameters.

Affiliate Overview

\$ Payouts

Referrals

Return to Dashboard

Payouts

Approved (0) | Pending (0) | Declined (0)

Request Payout

There are currently no payouts with this status.

Affiliate Overview

\$ Payouts

Referrals

Return to Dashboard

Referrals

Mature (0) | Pending (1) | Canceled (0)

Order #	Name	Amount	Currency	Commission	Date Added
5f0e1ebc13164	Steven Maurader	\$20.05	USD	\$2.01	Jul 14, 2020

Staff can override the affiliates settings by clicking the "Manage Affiliate" link on the client's profile under Actions, as well as see graph statistics.

Affiliate Overview

Client #1500 - First Test

Statistics

Stacked

Stream

Expanded

Referrals

Visits

Sales

04/13/2020

04/27/2020

05/08/2020

05/20/2020

06/01/2020

06/12/2020

06/24/2020

07/05/2020

07/13/2020

07/13/2019

08/05/2019

10/02/2019

11/28/2019

01/25/2020

03/23/2020

05/20/2020

07/13/2020

Affiliate Settings

Order Frequency ?

First

Order Recurring ?

Maturity Days ?

90

Commission Type ?

Percentage

Commission Amount

10

Minimum Withdrawal Amount

10

Maximum Withdrawal Amount

100

Withdrawal Currency

USD

Referral Link

http://blesta.us/4102/order/forms/a/MQ==

You may also link to a particular order form page as an affiliate by adding at the end ?a=MQ== to a link without query parameters or &a=MQ== to a link with query parameters.

Cancel

Save Settings

How can I manually adjust an affiliates funds?

Sometimes it's necessary to manually adjust an affiliates funds available for payout. This can be done by editing the database manually (backup first!) and updating the `order_affiliate_settings.total_available` where `order_affiliate_settings.affiliate_id` = the affiliate's ID. The affiliate's ID can be found by managing the affiliate, and observing the ID in the URL. a URL ending in `"/admin/plugin/order/admin_main/affiliates/1"` would indicate an affiliate ID of 1.

Messengers

To enable messengers for the Order System, you need to go to Billing, then click the cog/gear on the orders widget. If it's not disabled go to Manage widgets and then drag the Order System plugin to the left. If it's not shown up go to Settings > Company > Plugins > Order System: Install. It should be installed by default on the first company.

Orders

In Review (0)

Accepted (0)

Fraud (0)

Canceled (0)

There are no orders of this type.

You'll be able to enable the messenger by clicking: Always send or Only send if manual approval required.

Orders

Order Notifications

Email

☐ Do not send ☐ Only send if manual approval required ☒ Always send

Mobile

☒ Do not send ☐ Only send if manual approval required ☐ Always send

Messengers

☐ Do not send ☐ Only send if manual approval required ☒ Always send

Affiliate Notifications

Payout

☐ Never ☒ Always

Return to Order Listing

Update Settings

Common Issues

- reCaptcha always returns "The captcha entered was invalid. Please try again."
 - This may be a result of allow_url_fopen being disabled in your PHP config. To confirm, check your Blesta logs for: **general.WARNING: E_WARNING: file_get_contents(): https:// wrapper is disabled in the server configuration by allow_url_fopen=0** This directive must be changed for reCaptcha to work properly.
- When a user visits the payment page to pay with PayPal or another non-merchant gateway, they are redirected after 5 seconds without clicking the payment button.
 - This redirect is intentional, but if you are using PayPal Subscriptions and there are 2 buttons, users may not have enough time to make a selection before being redirected. To change the time to redirect, edit **/plugins/order/views/templates/(wizard/ajax)/javascript/checkout_complete.js** and change the value for delay(5000) to the desired value. The number represents milliseconds.
- The summary box in the order form overlaps the footer when I scroll down
 - This is likely caused by an custom adjustment to your footer that has increased its height. To compensate you'll need to update plugins /order/views/templates/wizard/config.pdt and change bottomSpacing: 100 to whatever matches the new header height