

cPanel

Table of Contents

- 1 About cPanel
- 2 Supported Features
- 3 Management Features
- 4 Installing cPanel
 - 4.1 Server Groups
- 5 Configurable Options Overview
- 6 Creating Configurable Options
 - 6.1 Creating an Option Group
 - 6.2 Creating a Configurable Option
- 7 Creating Packages
 - 7.1 Basic
 - 7.2 Module Options
 - 7.3 Pricing
 - 7.4 Welcome Email
 - 7.5 Group Membership
- 8 Final Steps
- 9 Moving cPanel Accounts
- 10 Importing cPanel Accounts

About cPanel

cPanel/WHM is a popular and widely used web hosting control panel. Learn more about cPanel/WHM on their website at <http://www.cpanel.net/>.

Supported Features

Create	Cancel	Suspend	Unsuspend	Management	Config Options
YES	YES	YES	YES	YES	YES

Management Features

This module supports the following management features within the client area:

- Change cPanel Password
- View Disk and Bandwidth usage

Information

Actions

Statistics

Return to Dashboard

Manage cPanel - Silver - mycooldomain.com

Change Password

Password

Confirm Password

Update Password

Information

Actions

Statistics

Return to Dashboard

Manage cPanel - Silver - mycooldomain.com

Information

Field	Value
Domain	mycooldomain.com
IP Address	67.136.133.122

Disk Usage (50 MB/2048 MB)

Bandwidth Usage (Month to Date) (200 MB/204800 MB)

Installing cPanel

To install the cPanel module, visit [Settings] > [Company] > [Modules] > Available, and click the "Install" button for cPanel.


cPanel

cPanel (ver 2.4.0)

Author: Phillips Data, Inc.

Install

A message will be displayed, indicating that the module was successfully installed. Then click the "Add Server" button.

 The module was successfully installed.

Manage cPanel

Add Server Group

Add Server

Servers

There are no servers.

Server Groups

There are no server groups.

Enter the details for your cPanel/WHM server.

Add cPanel Server

Basic Settings

Server Label

cPanel

Hostname

cpanel.stellarvps.net

User Name

root

Token (or Remote Key)

JYQCC925FIRC2GBF5RNIC3I97T5YLH6Q

☒ Use SSL when connecting to the API (recommended)

Account Limit

200

Name Servers

+ Add Additional Name Server

Name Server	Hostname	
Name server 1	ns1.stellarvps.net	Remove
Name server 2	ns2.stellarvps.net	Remove

Notes

Add Server

Field Name	Description
------------	-------------

Server Label	Enter a label for this cPanel/WHM server, it can be anything you like.
Hostname	Enter the FQDN hostname for your cPanel/WHM server, ie "server1.domain.com".
User Name	Enter your WHM username. This is the username you would log into WHM with.
Token (or Remote Key)	Enter your WHM server API token, found under "Manage API Tokens". You can also use a remote key found under "Setup Remote Access Key", but this is a deprecated authentication method. If using a token, you must select "Everything" if offering reseller accounts. <div><div><div><input checked="" type="checkbox"/> Everything</div><div><input checked="" type="checkbox"/> All Features all</div><div><div><div></div><div>WARNING: COMPLETE ACCESS TO THE ENTIRE SYSTEM!!</div></div></div><div>Root Access</div></div></div>
Use SSL when connecting to the API	Check this option to use SSL for all API requests to your WHM server. This is highly recommended.
Account Limit	Enter the maximum number of accounts that should be added to this cPanel/WHM server.
Name Servers	Enter the name servers that should be used for this server. These will be available to the package welcome email to the client.
Notes	Enter any notes that pertain to this server for future reference.

After filling out these options, click "Add Server" to add your cPanel/WHM server.

Server Groups

Server groups are useful for categorizing cPanel servers. When creating a Package, a specific server, or a server group may be selected for provisioning. Blesta will automatically select a cPanel server to provision with when a server group is chosen.

To add a server group, from the cPanel overview at [Settings] > [Company] > [Modules] > cPanel, click "Add Server Group", then enter the details.

Add cPanel Server Group

Group Name

London, UK

Add Order

First non-full server

Assigned Servers

cPanel

Available Servers

<

>

Add Group

Option	Details
Group Name	Enter the name for this server group.
Add Order	Choose how servers in this group will be selected for provisioning. Currently, first non-full server is the only add order.
Assigned Servers	Select servers under "Available Servers" and click to move them to the left column to add them to the group.

Configurable Options Overview

This module supports configurable options which may server settings in cPanel.

Option Name	Possible Values	Recommended Field Type	Description
dedicated_ip	[0, 1]	Checkbox	Whether to assign a dedicated IP to the server.

Creating Configurable Options

The following steps describe how to create configurable options. This section describes the following:

- 1. Creating a Configurable Option Group
- 2. Creating Configurable Options, and assigning them to the Group (repeat this step as necessary to create all Configurable Options required)

Creating an Option Group

To create a Configurable Option Group, visit [Packages] > Options, and click the "Create Group" button.

Field Name	Description
Name	Enter a name for this group.
Description	Enter a description for this group (optional).
Package Membership	Leave this section blank, we will add the options to the group when creating the options instead. If you have already created the options, you may add them to the group on this step.

After filling out these options, click the "Create Group" button to create the Option Group.

Creating a Configurable Option

To create a Configurable Option, visit [Packages] > Options, and click the "Create Option" button.

Field Name	Description
Label	Enter a label, which will appear above or next to this form field.
Name	Enter a name, which is the form field name. (Important! This should match an Option Name described above. The module requires specific naming.)
Type	Select the field type from "Checkbox", "Radio", "Drop-down", and "Quantity".
Options Section	Set pricing information within the Options section. The fields required here may vary depending on the "Type" selected above.
Group Membership Section	Add this Configurable Option to the previously created Option Group by moving the Group from the right to the left in the multi-select box.

After filling out these options, click the "Create Package Option" button to create the Option. Repeat as necessary to create all of the configurable options you wish to make available to the client during checkout.

Creating Packages

Packages define the pricing, welcome email, module and more. Packages can be assigned to Package Groups, and added to Order Forms. To create a Package, visit [Packages] > Browse, and click the "Create Package" button.

Creating a Package consists of several sections:

Basic

The Basic section consists of the following options:

New Package

Basic

Package Name

cPanel - Silver

Status

Active

Quantity Available

Unlimited

Description

Configurable Options

Module

cPanel

Field Name	Description
Package Name	Enter the name of this Package, it will be visible wherever services are listed and on any order forms.
Status	"Active" is the default, "Inactive", and "Restricted" are also available.

Quantity Available	If this Package has a limited quantity available, enter the quantity, or leave it as "Unlimited".
Description	Enter a Description for this Package. HTML is allowed, and descriptions appear on order forms.
Configurable Options	A Configurable Option Group may be selected if previously created, but this module does not support configurable options during provisioning.
Module	Select "cPanel" for the module.

Module Options

The Module Options section consists of the following options, which are specific to cPanel:

Module Options

Server Group

Dev

cPanel Package

Bronze

Account Type

☒ Standard ☐ Reseller

Enable Selling Sub-Domains

☒ Disable ☐ Enable

Dedicated IP

No

Field Name	Description
Server Group	Select "Any" if you wish to specify a specific server, or select the Server Group to provision from. Selecting a group means that accounts will be provisioned from the group. Selecting a group is recommended.
Server	If "Any" is selected above, select the server this package will use to provision accounts.
cPanel Package	Select the cPanel Package to use when configuring accounts. These values are pulled from "Packages" created in WHM and specify resources for the plan.
Account Type	Select "Standard" if this is a standard cPanel account, or "Reseller" if it's a reseller account. If selecting Reseller, you'll be asked also to select an ACL as configured in WHM. As of Blesta 4.8, you may also set an "Account Limit", allowing the reseller to create up to this number of cPanel accounts.
Enable Selling Sub-Domains	As of Blesta version 4.8, it's possible to sell sub-domains under a predefined list of domains. Select "Enable" to enable selling of sub-domains, or "Disable" to allow the client to use their own domain.
Available Domains List	If "Enable" is selected for the option above, an input field will appear where a comma separate list of domains can be entered, from which the client will be able to choose from. e.g. domain1.com,domain2.com,domain3.com
Dedicated IP	As of Blesta 4.8, it's possible to include a dedicated IP address for accounts created with this package. Select "Yes" to include a dedicated IP.

Pricing

Pricing

Term

Period

Currency

Price

Setup Fee

Cancellation Fee

Options

1

Month

USD

18.00

0.00

0.00

Remove

1

Year

USD

200.00

0.00

0.00

Remove

☐ Taxable

☐ Cancel at end of term

☐ Enable Pro rata ?


Add Additional Price

Field Name	Description
Term	Enter the term for the desired pricing option. For example, if you wish to create a 3 month pricing option, enter 3 here.
Period	Select the period for this pricing option. "Day", "Week", "Month", "Year", and "One time" are options. The client will be invoiced every "term period", for example every 3 months if 3 is entered for term, and Month is selected for period.
Currency	Select the currency this pricing option is available for.
Price	Enter the price for this pricing option.

Setup Fee	If there is a setup fee, enter it here.
Cancellation Fee	If there is a fee to cancel early, enter it here.

Click the "Add Additional Price" to add more pricing options. It's common for people to create 1 Month, 3 Month, 6 Month, and 1 Year price options. There are many possible combinations.

Welcome Email



The "Tags" section describes tags that may be used in the welcome email. The welcome email content is inserted into the "Service Creation" email template under [Settings] > [Company] > [Emails] > Service Creation. Only details unique to this service should be entered into the welcome email section for the package.

Sample Email

This sample email could be used in the Package Welcome Email section to help you get started. Be sure to enter content for your welcome email in both the HTML and Text sections.

```

Your cPanel account is now active, details below:

Domain: {service.cpanel_domain}
Username: {service.cpanel_username}
Password: {service.cpanel_password}

To log into cPanel please visit https://{module.host_name}:2083.
Please update your name servers as soon as possible to the following:

{% for name_server in module.name_servers %}
Name server: {name_server}{% endfor %}

Thank you for your business!

```

When creating or editing a package that uses this module, the following tags will be available:

Tags	Description	Notes
{module.host_name}	The host name of the server that the service was provisioned on	e.g. "domain.com"
{module.name_servers}	An array of available name servers for this module	Array elements must be looped over in the email template. See below for an example.
{package.type}	The package meta type	e.g. "standard", "user", "reseller", etc.
{package.package}	The package meta package name	e.g. "Bronze"
{package.acl}	The package meta access control list	
{service.cpanel_username}	The service field for the cPanel account username	

{service. cpanel_password}	The service field for the cPanel account password	
{service. cpanel_domain}	The service field for the cPanel domain	e.g. "domain.com"

Due to the nature of tag objects containing several fields, many of which are likely irrelevant for use in email templates, but may be useful to you in certain circumstances, a dump of the tags are shown below.

The {module} object

```
stdClass Object
(
    [host_name] => domain.com
    [name_servers] => Array
        (
            [0] => ns1.domain.com
            [1] => ns2.domain.com
        )
)
```

The {package} object

```
stdClass Object
(
    [id] => 32
    [id_format] => {num}
    [id_value] => 12
    [module_id] => 4
    [name] => Package Name
    [description] => Package Text Description
    [description_html] => <h1>Package HTML Description</h1>
    [qty] => 3
    [module_row] => 6
    [module_group] =>
    [taxable] => 0
    [status] => active
    [company_id] => 1
    [id_code] => 12
    [email_content] => Array
        (
            [0] => stdClass Object
                (
                    [lang] => en_us
                    [html] => <p>Welcome email html</p>
                    [text] => Welcome email text
                )
        )

    [pricing] => Array
        (
            [0] => stdClass Object
                (
                    [id] => 43
                    [term] => 123
                    [period] => day
                    [price] => 3.0000
                    [setup_fee] => 0.0000
                    [cancel_fee] => 0.0000
                    [currency] => AUD
                )

            [1] => stdClass Object
                (
                    [id] => 42
                    [term] => 0
                    [period] => onetime
                    [price] => 2.0000
                    [setup_fee] => 0.0000
                )
        )
)
```

```

        [cancel_fee] => 0.0000
        [currency] => USD
    )

)

[meta] => stdClass Object
(
    [package] => Bronze
    [type] => standard
)

[groups] => Array
(
    [0] => stdClass Object
    (
        [id] => 2
        [name] => Standard Group
        [type] => standard
    )

)

[package] => Bronze
[type] => standard
)

```

The {service} object

```

stdClass Object
(
    [id] => 124
    [parent_service_id] =>
    [id_format] => {num}
    [id_value] => 119
    [pricing_id] => 42
    [client_id] => 3
    [module_row_id] => 6
    [coupon_id] =>
    [qty] => 1
    [status] => active
    [date_added] => 2013-03-07 18:57:45
    [date_renews] =>
    [date_last_renewed] =>
    [date_suspended] =>
    [date_canceled] =>
    [id_code] => 119
    [fields] => Array
    (
        [0] => stdClass Object
        (
            [key] => cpanel_domain
            [value] => domain.com
            [serialized] => 0
            [encrypted] => 0
        )

        [1] => stdClass Object
        (
            [key] => cpanel_password
            [value] => password
            [serialized] => 0
            [encrypted] => 1
        )

        [2] => stdClass Object
        (
            [key] => cpanel_username
            [value] => domainco

```

```

        [serialized] => 0
        [encrypted] => 0
    )

)

[package_pricing] => stdClass Object
(
    [id] => 42
    [package_id] => 32
    [term] => 0
    [period] => One time
    [price] => 2.0000
    [setup_fee] => 0.0000
    [cancel_fee] => 0.0000
    [currency] => USD
)

[package] => stdClass Object
(
    [id] => 32
    [id_format] => {num}
    [id_value] => 12
    [module_id] => 4
    [name] => Package Name
    [description] => Package Text Description
    [description_html] => <h1>Package HTML Description</h1>
    [qty] => 3
    [module_row] => 6
    [module_group] =>
    [taxable] => 0
    [status] => active
    [company_id] => 1
)

[name] => domain.com
[cpanel_domain] => domain.com
[cpanel_password] => password
[cpanel_username] => domainco
)

```

Displaying Name Servers in the Welcome Email

The {module.name_servers} tag must be iterated over to display the name servers. Email tag usage is elaborated upon on the [Customizing Emails](#) page.

Consider an example where the module has two name servers set, named "ns1.domain.com" and "ns2.domain.com". The following can be added to the email template to output the name servers:

```

{% for name_server in module.name_servers %}
Name server: {name_server}{% endfor %}

```

The welcome email will display this as:

```

Name server: ns1.domain.com
Name server: ns2.domain.com

```

Group Membership

Group Membership

A package must belong to at least one group to be usable.

☐ Select from Available Groups
☒ Create a New Group

Standard Package Group Name

cPanel

Create Package

If this is the first Package you are creating with this module, select the "Create a New Group" option, and enter a Group name. If you are adding a subsequent Package and wish for it to be part of the same group, select "Select from Available Groups", and move the group from the right to the left of the multi-select box.

When finished, click "Create Package" to create this package.

Final Steps

The only thing left to do is to add this Package Group to an order form so clients may place orders for your cPanel servers. See [Creating an Order Form](#) for more details.

Moving cPanel Accounts

If you need to move one or more cPanel accounts to a new or different server, follow these steps:

1. Use the copy account feature in WHM to move the account to the new server.
2. Make sure the new server has been added to the module under Settings > Company > Modules > cPanel and that the new server and the old server are in the same server group.
3. Update your packages so that they are using this server group if they are not already.
4. Click to "Manage" each affected service, and an option should appear to change the server to another server in the same server group. This option will only appear if the packages are set up to use a server group rather than a specific server.
5. Repeat step 3 until all affected cPanel accounts have been updated to the new server.
6. You may remove the old server from the server group, but you should leave it in the module.
7. You may update the packages to use the new server specifically, rather than the group if you wish. This will remove the option for changing the server when managing a service, but it will remain attached to the correct server.

Importing cPanel Accounts

It's sometimes necessary to add cPanel accounts to Blesta that were created manually in WHM/cPanel, or in another system. To do so, follow these steps for each account:

1. Go to the profile for the client you want to add the cPanel account to [Clients] > [Browse] and click on the client ID, or perform a search.
2. Click Add Service under Account Actions on the left, or click the [+] button in the Services widget.
3. Select the correct Package for the plan you are adding, and Continue.
4. Select the Term, and uncheck the "Send order confirmation" and "Provision using the cPanel module" boxes. You may also wish to select "Do not Invoice" for Invoice method, but this will depend on whether you'd like to create an invoice now or not.
5. Enter the domain name and click "Continue".
6. The service should be added, now click the Manage icon next to the service on the client's profile page.
7. Enter the correct username under the "Username" field, uncheck the "Provision using the cPanel module when activated" option, and save.
8. If you need to sync the renew date to a specific day, click on the Manage link for the service again, and select "Change Renew Date" under the Actions drop down. Set the next renew date, uncheck the "Prorate" option, and Save.
9. Repeat for each account.