Multicraft

Table of Contents

- 1 About Multicraft
- 2 Supported Features
 3 Management Features

- 3 Management Features
 4 Installing Multicraft
 5 Configurable Options Overview
 6 Creating Configurable Options

 6.1 Creating an Option Group
 6.2 Creating a Configurable Option
 6.3 Sample Configurable Options

 7 Creating Packages

 7.1 Basic
 7.2 Module Options
 7.3 Pricing
 7.4 Welcome Email
- 7.3 Pricing
 7.4 Welcome Email
 7.5 Group Membership
 8 Setting the Server IP
 9 Final Steps

L______I

About Multicraft

Multicraft is a popular and widely used Minecraft server control panel. Learn more about Multicraft on their website at http://www.multicraft.org/.

Supported Features



Management Features

This module supports the following management features within the client area:

- View Server Status
- Restart Minecraft Server
- Stop Minecraft Server
- Start Minecraft Server
- Set Server to Day Time
 Set Server to Night Time
- Set Server Name
- View Connected Players
- Kick Players
 Server Console
- Log in to Multicraft

Information	Manage Minecraft Grass Plan - 162.	220.78.27:25571	
Ø ^e Actions	Server Address		
· Players	IP Address 162.220.78.27	Port 25571	
>_ Console	Consen Ototuo		
← Return to Dashboard	Volume 1/6 players		
	Server Actions		
	C Restart	ப் Stop	එ Start
	🗘 Set to Day Time	C Set to Night Time	Set Server Name

() Information	Manage Minecraft Grass Plan - 16	Manage Minecraft Grass Plan - 162.220.78.27:25571			
¢° Actions	Connected Players				
📽 Players	Player Name	Action			
>_ Console	paulphillips	 Kick Player 			
+ Return to Dashboard					

Information	Manage Minecraft Grass Plan - 162.220.78.27:25571
Ø ^e Actions	Server Console
曫 Players	Command
>_ Console	Command
← Return to Dashboard	Send
	Console Logs Chat Logs
	 29.05 17:13:09 [Server] Server thread/WARN Can't keep up! Did the system time change, or is the server overloaded? Running 2503ms behind, skipping 50 tick(s) 29.05 17:12:37 [Server] Server thread/INFO [paulphillips: Set own game mode to Creative Mode] 29.05 17:07:57 [Server] Server thread/INFO paulphillips joined the game 29.05 17:07:57 [Server] Server thread/INFO paulphillips joined the game 29.05 17:07:57 [Server] Server thread/INFO paulphillips is 28.05 17:07:57 [Server] Server thread/INFO paulphillips is 28.05 17:07:57 [Server] Server thread/INFO paulphillips is 28.05 17:07:57 [Server] Server thread/INFO Saved the world 29.05 17:07:57 [Server] Server thread/INFO Saved the world 29.05 17:05:31 [Server] Server thread/INFO Saving is already turned on. 29.05 17:05:31 [Server] Server thread/INFO Saved the world 29.05 17:05:31 [Server] Server thread/INFO Saved the world 29.05 16:55:24 [Server] Server thread/INFO Saving is already turned on. 29.05 16:55:24 [Server] Server thread/INFO Saving is already turned on. 29.05 16:55:24 [Server] Server thread/INFO Saving is already turned on. 29.05 16:45:28 [Server] Server thread/INFO Saving is already turned on. 29.05 16:45:28 [Server] Server thread/INFO Saving is already turned on. 29.05 16:45:28 [Server] Server thread/INFO Preparing spawn area: 75% 29.05 16:45:26 [Server] Server thread/INFO Preparing spawn area: 75% 29.05 16:45:26 [Server] Server thread/INFO Preparing spawn area: 28%
	* Clear Log

Installing Multicraft

To install the Multicraft module, visit [Settings] > [Company] > [Modules] > Available, and click the "Install" button for Multicraft.

歳 Multicraft	Multicraft (ver 1.0.0) Author: Phillips Data, Inc. Provision Minecraft servers through Multicraft.		INSTALL
A message will be dis	splayed, indicating that the module was su	ccessfully installed. Then click	the "Add Server" button.

✔ The module was successfully installed.	×
Manage Multicraft	
	ADD SERVER
Servers	
There are no servers.	

Enter the details for your Multicraft master server.

ad	D IP ADDRESS
ress In Use	D IP ADDRESS

Field Name	Description
Server Label	Enter a label for this Multicraft master server, it can be anything you like.
Panel URL	Enter the full URL to your Multicraft Panel, ie "http://multicraft.mydomain.com/". This is where you login.
Panel API URL	Enter the full path to your api.php, usually the Panel URL with /api.php appended, ie "http://multicraft.mydomain.com/api.php".
Username	Enter your Multicraft username.
API Key	Enter the API key for Multicraft. This can be found in Multicraft under Users, by clicking on your username.
Log All API Requests	It's recommended that this remain unchecked as management features make frequent API calls. Enable for debugging.
Dedicated IP Addresses	 You can add dedicated IP addresses here (optional), just fill out the following Daemon ID - The Daemon ID for your multicraft server this IP is attached to. IP Address - The dedicated IP address available to this Daemon ID. In Use - Select No if the IP is not currently in use, Yes if it is. As IP's are pulled from this pool, they will be marked as in use.

After filling out these options, click "Add Server" to add your Multicraft master server.

Most people will only have 1 Multicraft master server listed here. By specifying the Daemon ID via a configurable option, you can set which server Minecraft servers will be created on.

Configurable Options Overview

This module supports configurable options which may alter the provisioning of Minecraft servers. Configurable Options override Package settings.

Not Required

Configurable Options are not required, and this list in no way limits the Configurable Options that can be created. However, only the following Configurable Options can alter the way Minecraft servers are provisioned.

Option Name	Possible Values	Recommended Field Type	Description
user_play ers	0, 1	Checkbox	Determines whether the owner can set the number of player slots themselves in Multicraft. 1 for yes.
players	integer >= 1	Quantity, Dropdown	Sets the number of player slots, overriding the package value.
memory	integer >= 0	Quantity, Dropdown	Sets the amount of memory for the server in MB (Megabytes), overriding the package value.

daemon_id	integer >= 1 (comma separated list accepted)	Dropdown	Sets the Daemon ID to use for the server, overrides the package value. Useful for offering servers in different locations, ie "Los Angeles", "Dallas", "Miami" which correlate to Daemon ID's in those locations. To add multiple Daemon ID's for the same location, separate them with a comma, ie "1,4,7".
dedicated _ip	0, 1	Checkbox	If 1, attempt to use one of the IP Addresses set for the module. If none are available, the server will default to the main IP.
jarfile	???	Dropdown	The jarfile to use for the Minecraft server. A value of "default" will use the default Minecraft server. Otherwise, enter the jar file name for the server, ie "craftbukkit.jar".

Creating Configurable Options

The following steps describe how to create configurable options. This section describes the following:

- Creating a Configurable Option Group
 Creating Configurable Options, and assigning them to the Group (repeat this step as necessary to create all Configurable Options required)

Creating an Option Group

To create a Configurable Option Group, visit [Packages] > Options, and click the "Create Group" button.

New Package Option Group	
Basic	
Name	
Multicraft	
Description	
Multicraft Options	
	///
Package Membership ?	
Member Packages Available Packages	
Bronze Standard Domain Registration	
Cold Quad Core Xeon L5420	
Gold Standard Ouad Core Xeon - Special!	
Quad Core Xeon L5420 R51 Reseller	
Silver Silver Standard	
	CREATE GROUP

Field Name	Description
Name	Enter a name for this group.
Description	Enter a description for this group (optional).
Package Membership	Leave this section blank, we will add the options to the group when creating the options instead. If you have already created the options, you may add them to the group on this step.

After filling out these options, click the "Create Group" button to create the Option Group.

Creating a Configurable Option

To create a Configurable Option, visit [Packages] > Options, and click the "Create Option" button.

w Package Option						
sic						
bel						
an change player slots	2					
me						
er_players	?					
pe						
Lneckbox ÷						
tions						
Name ?			Value ?			Options
You can change the #	of player slots in Multicra		1			Delete
Pricina						
Term ?	Period	Currency	Price	Setup Fee	Ontions	
	Marath A		0.50		Add Delete	
1	Month +	USD +	0.50	0.00	Add, Delete	
oup membership						
ember Groups	Available Groups					
Aulticraft	Dedicated Servers					
	()					
	 • 					

Field Name	Description
Label	Enter a label, which will appear above or next to this form field.
Name	Enter a name, which is the form field name. (Important! This should match an Option Name described above. The module requires specific naming.)
Туре	Select the field type from "Checkbox", "Radio", "Drop-down", and "Quantity".
Options Section	Set pricing information within the Options section. The fields required here may vary depending on the "Type" selected above.
Group Membership Section	Add this Configurable Option to the previously created Option Group by moving the Group from the right to the left in the multi- select box.

After filling out these options, click the "Create Package Option" button to create the Option. Repeat as necessary to create all of the configurable options you wish to make available to the client during checkout.

Sample Configurable Options

The following are sample configurations for each of the supported configurable options listed above, and may serve as good examples for getting started.

Option Name	Sample	Configur	ation Sc	reensho	ot (Click fo	or full size)
user players	And think the second						
ucci_piayere	10 C 1						
	ine Jarde nation a Train Train						
	1 years						
	Area 1			Set of Sec.			April 1
	hannessee				1		and the second sec
	Sec. 1	in to	A	844 A	tere ter	A. Sec.	
	1 C		-	100 C		with setting	
	6						
	to to tage Minute	Salahan Super-	1				
		8					
		80					
						-	and the second second

plavere		
players	Update Package Option Resk:	
	Laal	
	Pager Socs ?	
	players ?	
	Quantity 1 2	
	Optians	
	Name 2 Min 2 Max 2 Step 2 Options	
	Players 2 40 2 Deliste	_
	Pricing Term 7 Prelod Currency Price Networker Options	
	1 Month 1 USD 1 0.20 0.00 466, being	ъ.
	Group Nembership	
	Member Groups Available Groups	
	Multicraft (Dedicated Servers	
	\odot	
	UPDATE PACKAGE OPTI	ON
memory	Been Rectange California Rece	
	100	
	A A A A A A A A A A A A A A A A A A A	
	in the second seco	
	<u> </u>	
	Airs	
	D an ann an ann an ann an ann an ann an a	0
	sarr sarr sarr sarr	
	The second	
	The last the second second	
	200 <u>70</u> <u>200</u>	
		ъ.
		1
	Charles States	
	6	
	6	
	(1884 - PAP 1 - 1978	•
daemon_id	hes fickes false	-
	test	
	pane a	
	Seeder 1	
	C.us	
	(a se service cons	
	way water and	
	and the second the second test	
	y ware in the law we wanted	
	11. <u>117</u>	
	774J	
		1
	PERCENT NATION	
	TAA Storma	
	8	
	÷	
		•

dedicated_ip	and many property					
	1999					
	ALC NOT A CONTRACT OF A CONTRA					
	100					
	date 2					
	State C -					
	44.4					
	dir o					
						N 87.000
	N. L. PLAN		È			Lan
	and a second					
		45.1		k.	400.1.000	
	Land sectors.					
	And the second					
	A					
	6					
						STANDARY (
jarfile	The effective of the					
	and the second s					
	Seale 1					
	6					
					· · · · ·	
					(a.e.	
	by deaths					The state of the s
				-		
	100 C	1.000 (1007)	14	NAME OF A	C REAL	_
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		140	146	And, Patron	_
	1			1		
	<u> </u>					
		1000	15	-	1.000	_
	1				001142	
	the president					
	PERSONAL PROFESSION	_				
	Closes					
	8					
						a contraction of the second

Creating Packages

Packages define the pricing, welcome email, module and more. Packages can be assigned to Package Groups, and added to Order Forms. To create a Package, visit [Packages] > Browse, and click the "Create Package" button.

Creating a Package consists of several sections:

Basic

The Basic section consists of the following options:

asic Techage Name Minecraft Grass Plan Status Axthe Description Configurable Options Member Groups Multicraft Dedicated Servers Dedicated Servers todule	ew Package			
Nachage Name Miceraft Grass Plan Status Active 1 Punimed Description Configurable Options Multicraft Dedicated Servers Dedicated Servers footie	asic			
Minecaft Grass Plan Status Kative = Unimeted Status	ackage Name			
Saus Attive = Junimed () Outmoted () Description Configurable Options Available Groups Multicraft () </td <td>Minecraft Grass Plan</td> <td></td> <td></td> <td></td>	Minecraft Grass Plan			
Active 3 Junity do	itatus			
Quantity Available Infinited C Configurable Options Multicraft Configurable Groups Multicraft Configurable Groups fodule	Active ‡			
Pullimited Description Configurable Options Multicraft Configurable Groups Dedicated Servers Dedicated Servers Todule	uantity Available			
	Unlimited 🔘			
Configurable Options Available Groups Multicraft C Oedicated Servers Image: Configurable Servers	Description			
Member Groups Available Groups Multicraft C C D D D D D D D D D D D D D D D D D	Configurable C	ptions		
Multicraft Coule	Member Groups	Available Groups		
	Multicraft	Dedicated Servers		
todule				
Todule		>		
Aodule				
Acquie Contract Contra				
	lodule			

Field Name	Description
Package Name	Enter the name of this Package, it will be visible wherever services are listed and on any order forms.
Status	"Active" is the default, "Inactive", and "Restricted" are also available.

Quantity Available	If this Package has a limited quantity available, enter the quantity, or leave it as "Unlimited".
Description	Enter a Description for this Package. HTML is allowed, and descriptions appear on order forms.
Configurable Options	Select the Configurable Option Group you created previously, to make those options available for this package.
Module	Select "Multicraft" for the module.

Module Options

The Module Options section consists of the following options, which are specific to Multicraft:

Module Options		
Server		
Multicraft Panel		
Planter and T		
Server Name		
Minecraft Server		
Player Slots		
6		
Server RAM		
512 ?		
JAR File		
?		
Look for JARs in the following directory		
December 14.8 disenteers t		
Daemon JAR directory +		
Owner Selectable JAR		
Sowner Can Set Name ?		
Owner Can Schedule Tasks		
Owner Can Manage FTP ?		
Owner Can Set Vicibility 2		
Default Data		
Start Server ?		
Create FTP Account ?		
Server Visibility		
By Default Role		

Field Name	Description
Server	Select your Multicraft master server.
Server Name	Enter the default server name for Minecraft servers provisioned with this package.
Player Slots	Enter the number of player slots for this server. (Note that this can be overridden with a configurable option)
Server RAM	Enter the amount of memory to allocate to this server. (Note that this can be overridden with a configurable option)
JAR File	Enter the jar file to be used, leave blank to use the default. (Note that this can be overridden with a configurable option)
Look for JARs in the following directory	Select the location for where Multicraft will look for JARs. The Daemon JAR directory should be used if you are unsure.
Owner Selectable JAR	Allow the server owner to change the JAR.
Owner Can Set Name	Allow the server owner to set and change the server name. (Note! If selected, a text field will be displayed during checkout where clients may set the server name when ordered. Additionally, clients will be able to change the name from the client area.)
Owner Can Schedule Tasks	Allow the server owner to create scheduled tasks and change the autosave setting within Multicraft.
Owner Can Manage FTP	Allow the server owner to give FTP access to other users within Multicraft.
Owner Can Set Visibility	Allow the server owner to change the server visibility and the Default Role.
Default Role	Select which role players will be assigned when they first connect to the server. Use "No Access" for white-listing.
Start Server	Automatically starts the server when Multicraft restarts (recommended).
Create FTP Account	Automatically create an FTP account when the server is provisioned.
Server Visibility	Sets the visibility of the server in the Multicraft server list.

Pricing

					G ADD AD	DITIONAL PRICE
Term Pe	eriod	Currency	Price	Setup Fee	Cancellation Fee	Options
1	Month ‡	USD ÷	2.50	0.00	0.00	Remove

Field Name	Description
Term	Enter the term for the desired pricing option. For example, if you wish to create a 3 month pricing option, enter 3 here.
Period	Select the period for this pricing option. "Day", "Week", "Month", "Year", and "One time" are options. The client will be invoiced every "term period", for example every 3 months if 3 is entered for term, and Month is selected for period.
Currency	Select the currency this pricing option is available for.
Price	Enter the price for this pricing option.
Setup Fee	If there is a setup fee, enter it here.
Cancella tion Fee	If there is a fee to cancel early, enter it here.

Click the "Add Additional Price" to add more pricing options. It's common for people to create 1 Month, 3 Month, 6 Month, and 1 Year price options. There are many possible combinations.

Welcome Email

ent.id} {client.id_ odule.daemons} { vice.multicraft_ja vice.multicraft_se vice.multicraft_u	sode) (diert.first, name) (dient.ists, name) (pricing, zerrol) (pricing, pared) (pricing
English, US	
HTML	Text
E Source	. 8 E E & # 19 % E & # E M % & B & E E
B <i>I</i> <u>U</u> ∞	x ₂ x ² <i>a</i> Styles Normal Font Size X ₄ · A
Thanks for choo	using us for your Minecraft Server!
Your server is n	ow active and you can manage it through our client area by clicking the "Manage" button next to the server on your Dashboard.
Here are more	Ietails regarding your server:
Server Name: { Server Address	iervice.multicraft_server_name) {service.multicraft_ip}:{service.multicraft_port}
You may also lo	g into Multioraft to manage your server:
Mutlicraft URL: User: (service.n	(module.panel.un) ulticraft jogin username)

The "Tags" section describes tags that may be used in the welcome email. The welcome email content is inserted into the "Service Creation" email template under [Settings] > [Company] > [Emails] > Service Creation. Only details unique to this service should be entered into the welcome email section for the package.

Sample Email

This sample email could be used in the Package Welcome Email section to help you get started. Be sure to enter content for your welcome email in both the HTML and Text sections.

```
Thanks for choosing us for your Minecraft Server!

Your server is now active and you can manage it through our client area by clicking the "Manage" button next to

the server on your Dashboard.

Here are more details regarding your server:

Server Name: {service.multicraft_server_name}

Server Address: {service.multicraft_ip}:{service.multicraft_port}

You may also log into Multicraft to manage your server:

Multicraft URL: {module.panel_url}

User: {service.multicraft_login_username}

Pass: {service.multicraft_login_password}

Thank you for your business!
```

Blesta creates the Multicraft login when the clients first Multicraft server is provisioned. On subsequent server purchases, the server is added to the existing Multicraft user. You can use the following code instead for the User and Pass, which will display it in the email only the first time. This will prevent emails from going out with blank credentials.

```
{% if service.multicraft_login_username %}
Login with
User: {service.multicraft_login_username}
Pass: {service.multicraft_login_password}
{% else %}
Login using your existing Multicraft account credentials.
{% endif %}
```

Group Membership

Group Membership	
A package must belong to at least one group to be usable.	
🔘 Select from Available Groups 💿 Create a New Group	
Standard Package Group Name	
Minecraft Servers	
	CREATE PACKAGE

If this is the first Package you are creating with this module, select the "Create a New Group" option, and enter a Group name. If you are adding a subsequent Package and wish for it to be part of the same group, select "Select from Available Groups", and move the group from the right to the left of the multi-select box.

When finished, click "Create Package" to create this package.

Setting the Server IP

Before a Minecraft server can be started in Multicraft, proper Multicraft configuration is required. You may need to ensure your Multicraft configuration file (e.g. /home/minecraft/multicraft/multicraft.conf) has the correct IP address set. The home address (127.0.0.1) may need to be replaced with the server's IP address, and a password should be set.

```
ip = 162.56.29.34
password = my_password
```

If the password is changed, the configuration file (e.g. /var/www/html/multicraft/protected/config/**config.php**) will need to be updated to reflect this change by setting the *daemon_password* to the same password set in **multicraft.conf**.

```
'daemon_password' => 'my_password',
```

And finally, the Multicraft server must be restarted before these changes take effect.

```
/home/minecraft/multicraft/bin/multicraft -v stop
/home/minecraft/multicraft/bin/multicraft -v start
```

The paths to Multicraft and the configuration files may vary.

Final Steps

The only thing left to do is to add this Package Group to an order form so clients may place orders for your Multicraft servers. See Creating an Order Form for more details.